



(<https://www.celli.it/en/>)

MIZAR/S

Multi-purpose side-shift mulcher

HP 40-90 KW 29-66

[More information / Download PDF](#)



(https://www.celli.it/wp-content/uploads/2018/05/MIZAR_posteriore_disco-singolo-800x758.jpg)



(https://www.celli.it/wp-content/uploads/2018/05/MIZAR_doppio-disco_posteriore-800x533.jpg)



(https://www.celli.it/wp-content/uploads/2008/11/MIZAR_S-1-800x600.jpg)



(<https://www.celli.it/wp-content/uploads/2008/11/Mazza-liscia-di-serie-MIZAR1.jpg>)



(<https://www.celli.it/wp-content/uploads/2008/11/2-Coltelli-a-Y-+-1-diritto-MIZAR1.jpg>)

Y shaped blades with straight blade



(<https://www.celli.it/en/>)



Suitable for grass, shoots and pruning (\varnothing 6-7 cm)

Technical specifications and standard equipment

- maximum horsepower: 90 HP (66 KW)
- PTO: 540 rpm; 1-speed: 2,278 rpm
- 3 belt transmission (only model 135)
- 4 belt transmission
- front and upper counter-blades
- rear roller \varnothing 194 mm or steerable rubber rear wheels
- gearbox with freewheel safety device
- Manual side-shift mechanism onto chromium-plated rod, through threaded bar
- sideskids (except mod.135)
- rotor (\varnothing pipe 168 mm) with flat hammers (\varnothing 430 mm – \varnothing 440 mm)
- resting foot
- double shielded box frame
- drive shaft without safety device

Optional accessories

- 3 tines (2 Y-shaped blades + 1 straight blade)
- Set of 2 rear rubber wheels, steering type (except mod.135)
- Hydraulic ram kit
- Back cover that can be opened for maintenance operations (only at origin)
- Rear collection spike No. of spikes required (min. – max): mod.135=5 or 10, mod.150=6 or 11, mod.175=7 or 13, mod.200=8 or 15, mod.225=9 or 17, mod.250=10 or 19
- Gearbox and centered 3-point hitch (only models 200-225-250)
- Centered 3-point hitch (only models 200-225-250)
- Pair of wear resistant plates for side-skids (except mod.135)

The available central hydraulic mover attachments come with a disc with a 400 – 600 – 800 diameter. NOTE: the attachments can ONLY be installed WITH THE BACK HOOD CLOSED










ideal for:

(<https://www.celli.it/en/>)

Working with medium sized tractors

- Mulching grass and shoots
- Mulching shoots and cutting wood
- Cutting grass

Symbol key (<https://www.celli.it/en/symbol-key/>)

MIZAR/S							
	cm	cm	cm - cm	HP / KW	Kg	Nr.	
135	153	135	66 - 69 42 - 93	40/29	490	14	Cardano S.6 L=947 lato trattore 1"3/8 Z=6
150	168	150	81 - 69 42 - 108	50/36	530	14	
175	193	175	81 - 94 42 - 133	60/44	585	16	
200	218	200	81 - 119 42 - 158	65/48	610	18	
225	243	225	98 - 127 59 - 166	70/51	685	20	
250	268	250	98 - 152 59 - 191	75/55	725	22	

Previous

« MIZAR/F (<https://www.celli.it/en/products/mulchers/mizar-f/>)

Next

VEGA/SR » (<https://www.celli.it/en/products/mulchers/vega-sr/>)

Request for information

Fill out the form to ask for information on the product pages

Information request