




(<https://www.celli.it/en/>)

LOTHAR P

Folding Stone Burier

HP 220-280 KW 162-206

[More information / Download PDF](#)



(<https://www.celli.it/wp-content/uploads/2020/07/Lothar-P-Folding-Stone-Burier-Back-800x295.jpg>)



(<https://www.celli.it/wp-content/uploads/2014/01/lothar-p-celli-800x460.jpg>)



NOTE: The bed former is only supplied on request

Technical specifications and standard equipment

- maximum horsepower: 280 HP (206 KW) PTO: 1000 rpm with 2-speed gearbox No. of teeth 16-29 = 284 rpm; 17-28 = 310 rpm; cat. 3 3-point hitch, swinging front hitches




- C-shaped blades: 80×8 mm (6 blades each flange, sides leaning inwards) with double flange (rotor + blades d.540 mm)
- (<https://www.celli.it/en/products/stone-buriers/lothar-p/>)
- max. working depth 25 cm

- rear tailgates with independent spring cushion
- spring holder comb with threaded bar adjustment
- rollers/bed hydraulic adjustment
- rear lights for road transport
- **gear side transmission**
- **side drive shafts with automatic limiter, central drive shaft**

Optional accessories

- Oil cooling kit for central gearbox with reservoir
- Oil cooling kit for side gearboxes with reservoir
- Stone burier blades 90 x 10 mm (rotor + blades d.610 mm)
- Double welded flange rotor and 10 mm blades (mod. 450)
- Rotor with quick blade release system, blades 10 mm thick (mod. 450)
- Mesh rollers
- Floating system kit
- 3-point hitch category 2
- Category 3 – 4 long hitch kit
- Hitch with 4-ram lifting (mod.550)
- Set of 2 front toothed sod breaking discs (d.460 mm)
- Pair of front flat sod breaking discs (d.360 mm)
- Front side sod breaking kit open
- High side guard kit
- Spring holder hydraulic adjustment
- Front track eraser (1 tine) for half unit only
- Front track eraser (2 tines) for half unit only

Bed former version available



(<https://www.celli.it/en/products/stone-buriers->

[and-bed-formers/folding-stone-buriers/folding-stone-buriers-version-with-bed-former/](https://www.celli.it/en/products/stone-buriers-))

BED FORMER VERSION (<https://www.celli.it/en/products/stone-buriers-and-bed-formers/folding-stone-buriers/folding-stone-buriers-version-with-bed-former/>)



Learn more (<https://www.celli.it/en/products/stone-buriers-and-bed-formers/folding-stone-buriers/folding-stone-buriers-version-with-bed-former/>)

Ideal for:

- Working with large tractors
- Working with tractors above 190 HP
- Cultivating heavy and sticky soil
- Working in rocky soil
- Working soil in depth
- Preparing large fields quickly
- Preparing seedbeds
- Breaking up the hardest soil
- Eliminating soil compacting
- Burying abundant crop residue
- Getting the right degree of soil finishing according to specific needs
- Carrying equipment on the roads without risks

Symbol key (<https://www.celli.it/en/symbol-key/>)

LOTHAR P							
	cm	cm	cm	HP / KW	Kg	Nr.	
400	415	391	264	220/162	3220	90	Cardano centrale S.10 L=834 lato trattore 1"3/8 Z=21
450	465	441	264	240/176	3370	102	
500	515	491	264	250/184	3520	114	
550	565	541	264	260/191	3670	126	

Previous

« THOR P (<https://www.celli.it/en/products/stone-buriers-and-bed-formers/folding-stone-buriers/thor-p/>)

Next

SUPER LOTHAR P » (<https://www.celli.it/en/products/stone-buriers-and-bed-formers/folding-stone-buriers/super-lothar-p/>)